

# References

- Beerda, B., Schilder, M. B. H., van Hooff, J. A. R. A. M., & de Vries, H. W. (1997). Manifestations of chronic and acute stress in dogs. *Applied Animal Behaviour Science*, 52(3–4), 307–319. [https://doi.org/http://dx.doi.org/10.1016/S0168-1591\(96\)01131-8](https://doi.org/http://dx.doi.org/10.1016/S0168-1591(96)01131-8)
- Boissy, A., Aubert, A., Désiré, L., Greiveldinger, L., Delval, E., & Veissier, I. (2011). Cognitive sciences to relate ear postures to emotions in sheep. *Animal Welfare*, 20(1), 47–56.
- Cabanac, M., & Lafrance, L. (1990). Postingestive alliesthesia: The rat tells the same story. *Physiology and Behavior*, 47(3), 539–543. [https://doi.org/10.1016/0031-9384\(90\)90123-L](https://doi.org/10.1016/0031-9384(90)90123-L)
- Camerlink, I., Coulange, E., Farish, M., Baxter, E. M., & Turner, S. P. (2018). Facial expression as a potential measure of both intent and emotion. *Scientific Reports*, 8(1), 1–9. <https://doi.org/10.1038/s41598-018-35905-3>
- Casey, R. A. (2007). Clinical problems associated with the intensive management of performance horses. In *The welfare of horses*.
- Correia-Caeiro, C., Holmes, K., & Miyabe-Nishiwaki, T. (2021). Extending the MaqFACS to measure facial movement in Japanese macaques (*Macaca fuscata*) reveals a wide repertoire potential. In *PLoS ONE* (Vol. 16, Issue 1 January). <https://doi.org/10.1371/journal.pone.0245117>
- Dalla Costa, E., Minero, M., Lebelt, D., Stucke, D., Canali, E., & Leach, M. C. (2014). Development of the Horse Grimace Scale (HGS) as a pain assessment tool in horses undergoing routine castration. *PLoS ONE*, 9(3), 1–10. <https://doi.org/10.1371/journal.pone.0092281>
- De Waal, F. B. M. (2003). Darwin's Legacy and the Study of Primate Visual Communication. *Annals of the New York Academy of Sciences*, 1000, 7–31. <https://doi.org/10.1196/annals.1280.003>
- Defensor, E. B., Corley, M. J., Blanchard, R. J., & Blanchard, D. C. (2012). Facial expressions of mice in aggressive and fearful contexts. *Physiology and Behavior*, 107(5), 680–685. <https://doi.org/10.1016/j.physbeh.2012.03.024>
- Descovich, K.A., Wathan, J., Leach, M. C., Buchanan-Smith, H. M., Flecknell, P., Farningham, D., & Vick, S.-J. (2017). Facial expression: An under-utilized tool for the assessment of welfare in mammals. *Altex*, 34(3). <https://doi.org/10.14573/altex.1607161>
- Descovich, Kris A., Richmond, S. E., Leach, M. C., Buchanan-Smith, H. M., Flecknell, P., Farningham, D. A. H., Witham, C., Gates, M. C., & Vick, S. J. (2019). Opportunities for refinement in neuroscience: Indicators of wellness and post-operative pain in laboratory macaques. *Altex*, 36(4), 535–554. <https://doi.org/10.14573/altex.1811061>
- Ekman, P., Davidson, R. J., & Friesen, W. V. (1990). The Duchenne smile: Emotional expression and brain physiology: II. *Journal of Personality and Social Psychology*, 58(2), 342–353. <https://doi.org/10.1037/0022-3514.58.2.342>
- Ekman, P., & Friesen, W. V. (1978). *Facial action coding system: investigator's guide*. Palo Alto, Calif.: Consulting Psychologists Press.
- Fedderson-Petersen, D. U. (1991). The ontogeny of social play and agonistic behaviour in selected canid species. *Bonner Zoologische Beiträge*, 42(2), 97–114.

# References

- Fernández-Carriba, S., Loeches, Á., Morcillo, A., & Hopkins, W. D. (2002). Asymmetry in facial expression of emotions by chimpanzees. *Neuropsychologia*, *40*(9), 1523–1533. [https://doi.org/10.1016/S0028-3932\(02\)00028-3](https://doi.org/10.1016/S0028-3932(02)00028-3)
- Ferlayson, K., Lampe, J. F., Hintze, S., Würbel, H., & Melotti, L. (2016). Facial indicators of positive emotions in rats. *PLoS ONE*, *11*(11), 1–24. <https://doi.org/10.1371/journal.pone.0166446>
- Gleerup, K. B., Forkman, B., Lindegaard, C., & Andersen, P. H. (2015). An equine pain face. *Veterinary Anaesthesia and Analgesia*, *42*(1), 103–114. <https://doi.org/10.1111/vaa.12212>
- Hietanen, J. K., Surakka, V., & Linnankoski, I. (1998). Facial electromyographic responses to vocal affect expressions. *Psychophysiology*, *35*(5), 530–536. <https://doi.org/10.1017/S0048577298970445>
- Hopkins, W. D., Tagliatalata, J. P., & Leavens, D. A. (2011). Do chimpanzees have voluntary control of their facial expressions and vocalizations? In J. S. A. Vilain & C. Abry (Eds.), *Primate Communication and Human Language: Vocalisation, Gestures, Imitation and Deixis in Humans and Non-Humans* (pp. 71–88). John Benjamins Publishing Company. <https://doi.org/10.1075/ais.1.05shop>
- Judge, P. G., & Bachmann, K. A. (2013). Witnessing reconciliation reduces arousal of bystanders in a baboon group (*Papio hamadryas hamadryas*). *Animal Behaviour*, *85*(5), 881–889. <https://doi.org/10.1016/j.anbehav.2013.02.011>
- Jürgens, U. (2009). The Neural Control of Vocalization in Mammals: A Review. *Journal of Voice*, *23*(1), 1–10. <https://doi.org/10.1016/j.jvoice.2007.07.005>
- Langford, D. J., Bailey, A. L., Chanda, M. L., Clarke, S. E., Drummond, T. E., Echols, S., Glick, S., Ingraio, J., Klassen-Ross, T., Lacroix-Fralish, M. L., Matsumiya, L., Sorge, R. E., Sotocinal, S. G., Tabaka, J. M., Wong, D., Van Den Maagdenberg, A. M. J. M., Ferrari, M. D., Craig, K. D., & Mogil, J. S. (2010). Coding of facial expressions of pain in the laboratory mouse. *Nature Methods*, *7*(6), 447–449. <https://doi.org/10.1038/nmeth.1455>
- Leach, M. C., Klaus, K., Miller, A. L., Scotto di Perrotolo, M., Sotocinal, S. G., & Flecknell, P. A. (2012). The assessment of post-vasectomy pain in mice using behaviour and the Mouse Grimace Scale. *PLoS One*, *7*(4). <https://doi.org/10.1371/journal.pone.0035656>
- Leiner, L., & Fendt, M. (2011). Behavioural fear and heart rate responses of horses after exposure to novel objects: Effects of habituation. *Applied Animal Behaviour Science*, *131*(3–4), 104–109. <https://doi.org/10.1016/j.applanim.2011.02.004>
- Light, G., Hardie, E., Young, M., Hellyer, P., Brownie, C., & Hansen, B. (1993). Pain and anxiety behaviors of dogs during intravenous catheterization after premedication with placebo, acepromazine or oxy-morphone. *Applied Animal Behaviour Science*, *37*, 331–343.
- Lu, Y., Mahmoud, M., & Robinson, P. (2017). Estimating Sheep Pain Level Using Facial Action Unit Detection. *Proceedings - 12th IEEE International Conference on Automatic Face and Gesture Recognition, FG 2017 - 1st International Workshop on Adaptive Shot Learning for Gesture Understanding and Production, ASL4GUP 2017, Biometrics in the Wild, Bwild 2017, Heteroge*, 394–399. <https://doi.org/10.1109/FG.2017.56>
- Maglieri V., Zanolli, A., Mastrandrea, F., Palagia, P. (2022) The relaxed open mouth is a true signal in dogs: demonstrating Tinbergen's ritualization process. *Animal Behaviour*, *188*, 65–74

# References

- McLennan, K. M., Rebelo, C. J. B., Corke, M. J., Holmes, M. A., Leach, M. C., & Constantino-Casas, F. (2016). Development of a facial expression scale using footrot and mastitis as models of pain in sheep. *Applied Animal Behaviour Science*, *176*, 19–26. <https://doi.org/10.1016/j.applanim.2016.01.007>
- Meletti, S., Cantalupo, G., Benuzzi, F., Mai, R., Tassi, L., Gasparini, E., Tassinari, C. A., & Nichelli, P. (2012). Fear and happiness in the eyes: An intra-cerebral event-related potential study from the human amygdala. *Neuropsychologia*, *50*(1), 44–54. <https://doi.org/10.1016/j.neuropsychologia.2011.10.020>
- Mendl, M., Burman, O. H. P., & Paul, E. S. (2010). An integrative and functional framework for the study of animal emotion and mood. *Proceedings of the Royal Society B: Biological Sciences*, *277*(1696), 2895–2904. <https://doi.org/10.1098/rspb.2010.0303>
- Micheletta, J., Engelhardt, A., Matthews, L., Agil, M., & Waller, B. M. (2013). Multicomponent and multimodal lipsmacking in crested macaques (*Macaca nigra*). *American Journal of Primatology*, *75*(7), 763–773. <https://doi.org/10.1002/ajp.22105>
- Morozov, A., Parr, L., Gothard, K., Paz, R., & Pryluk, R. (2021). Automatic recognition of macaque facial expressions for detection of affective states. *BioRxiv*, 2021.02.24.432760. <https://www.biorxiv.org/content/10.1101/2021.02.24.432760v1%0Ahttps://www.biorxiv.org/content/10.1101/2021.02.24.432760v1.abstract>
- Parr, L. A., Waller, B. M., Burrows, A. M., Gothard, K. M., & Vick, S. J. (2010). Brief communication: MaqFACS: A muscle-based facial movement coding system for the rhesus macaque. *American Journal of Physical Anthropology*, *143*(4), 625–630. <https://doi.org/10.1002/ajpa.21401>
- Parr, Lisa A., & Waller, B. M. (2006). Understanding chimpanzee facial expression: insights into the evolution of communication. *Social Cognitive and Affective Neuroscience*, *1*(3), 221–228. <https://doi.org/10.1093/scan/nsl031>
- Parr, Lisa A., Waller, B. M., Vick, S. J., & Bard, K. A. (2007). Classifying chimpanzee facial expressions using muscle action. *Emotion*, *7*(1), 172–181. <https://doi.org/10.1037/1528-3542.7.1.172>
- Porter, S., ten Brinke, L., & Wallace, B. (2012). Secrets and Lies: Involuntary Leakage in Deceptive Facial Expressions as a Function of Emotional Intensity. *Journal of Nonverbal Behavior*, *36*(1), 23–37. <https://doi.org/10.1007/s10919-011-0120-7>
- Reefmann, N., Wechsler, B., & Gyax, L. (2009). Behavioural and physiological assessment of positive and negative emotion in sheep. *Animal Behaviour*, *78*(3), 651–659. <https://doi.org/10.1016/j.anbehav.2009.06.015>
- Sackeim, H. A., Gur, R. C., & Saucy, M. C. (2011). Emotions are expressed more intensely on the left side of the face. *Advancement Of Science*, *202*(4366), 434–436.
- Sandem, A. I., Braastad, B. O., & Bøe, K. E. (2002). Eye white may indicate emotional state on a frustration-contentedness axis in dairy cows. *Applied Animal Behaviour Science*, *79*(1), 1–10. [https://doi.org/10.1016/S0168-1591\(02\)00029-1](https://doi.org/10.1016/S0168-1591(02)00029-1)

# References

- Seyfarth, R. M., & Cheney, D. L. (2017). The origin of meaning in animal signals. *Animal Behaviour*, *124*, 339–346. <https://doi.org/10.1016/j.anbehav.2016.05.020>
- Shariff, A. F., & Tracy, J. L. (2011). What are emotion expressions for? *Current Directions in Psychological Science*, *20*(6), 395–399. <https://doi.org/10.1177/09637214111424739>
- Sotocinal, S. G., Sorge, R. E., Zaloum, A., Tuttle, A. H., Martin, L. J., Wieskopf, J. S., Mapplebeck, J. C. S., Wei, P., Zhan, S., Zhang, S., McDougall, J. J., King, O. D., & Mogil, J. S. (2011). The Rat Grimace Scale: A partially automated method for quantifying pain in the laboratory rat via facial expressions. *Molecular Pain*, *7*(1), 55. <https://doi.org/10.1186/1744-8069-7-55>
- Spencer, R. F., & Porter, J. D. (2005). Biological organization of the extraocular muscles. *Progress in Brain Research*, *151*, 43–80. [https://doi.org/10.1016/S0079-6123\(05\)51002-1](https://doi.org/10.1016/S0079-6123(05)51002-1)
- Steiner, J. E., Glaser, D., Hawilo, M. E., & Berridge, K. C. (2001). Comparative expression of hedonic impact: Affective reactions to taste by human infants and other primates. *Neuroscience and Biobehavioral Reviews*, *25*(1), 53–74. [https://doi.org/10.1016/S0149-7634\(00\)00051-8](https://doi.org/10.1016/S0149-7634(00)00051-8)
- Susskind, J. M., & Anderson, A. K. (2008). *Facial expression form and function*. *1*(2), 148–149. <https://doi.org/10.1038/nn.2138.148>
- Waller, B. M., & Dunbar, R. I. M. (2005). Differential behavioural effects of silent bared teeth display and relaxed open mouth display in chimpanzees (*Pan troglodytes*). *Ethology*, *111*(2), 129–142. <https://doi.org/10.1111/j.1439-0310.2004.01045.x>
- Waller, B. M., Whitehouse, J., & Micheletta, J. (2017). Rethinking primate facial expression: A predictive framework. *Neuroscience and Biobehavioral Reviews*, *82*, 13–21. <https://doi.org/10.1016/j.neubiorev.2016.09.005>
- Wathan, J., Burrows, A. M., Waller, B. M., & McComb, K. (2015). EquiFACS: The equine facial action coding system. *PLoS ONE*, *10*(8), 1–35. <https://doi.org/10.1371/journal.pone.0131738>
- Williams, A. C. D. C. (2002). *Facial Expression of Pain- Evolutionary*. 439–488.
- Witham, C. L. (2018). Automated face recognition of rhesus macaques. *Journal of Neuroscience Methods*, *300*, 157–165. <https://doi.org/10.1016/j.jneumeth.2017.07.020>
- Yanagi, A., & Berman, C. M. (2014). Body signals during social play in free-ranging rhesus macaques (*Macaca mulatta*): A systematic analysis. *American Journal of Primatology*, *76*(2), 168–179. <https://doi.org/10.1002/ajp.22219>
- Zhang, J. (2018). The human anger face likely carries a dual-signaling function. *Frontiers in Behavioral Neuroscience*, *12*(February), 10–13. <https://doi.org/10.3389/fnbeh.2018.00026>